INDEX TO VOLUME II

A

Albumin/globulin ratio (N. H. MARTIN and R. MORRIS), 64
Amino-acid in serum protein, 168
p-Aminosalicylic acid in blood; method for estimation (H. V. STREET), 230
Anaemia, conditions for production of megaloblasts, 23
—— distribution of megaloblasts in bone marrow in, 24
—— Cooley's, maturation of erythrocytes in, 217
—— haemolytic, erythropoiesis in, 28
—— —— acquired, probable syphilitic aetiology and response to treatment (J. G. SELWYN and W. E. R. HACKETT), 225
—— —— nature of incomplete antibodies in, 103
—— —— of newborn, hypothetical explanation of blood changes in, 217
—— pernicious, method for concentration of megaloblasts as diagnostic aid in, 232
ANDREWS, G. S.: Latent carcinoma of prostate, 197
Antibody, dextran as medium for demonstration of anti-Rh, 223
—— production of pure type anti-C^w, 284
—— incomplete, technique for elution, 103
—— serum protein in, 170
Anticoagulants, influence in fibrin network formation, 55
Antigen, value of diluted in Wassermann reaction (R. F. JENNISON, J. B. PENFOLD, and J. A. FRASER ROBERTS), 129
ASTALDI, GIOVANNI (and PAULO TOLENTINO): Studies *in vitro* on maturation of erythroblasts in normal and pathological conditions, 217

B

BARWELL, C. F. (and S. P. BEDSON, E. J. KING, L. W. J. BISHOP): Laboratory diagnosis of lymphogranuloma venereum, 241
BEDSON, S. P. (with C. F. BARWELL, E. J. KING, L. W. J. BISHOP): Laboratory diagnosis of lymphogranuloma venereum, 241
BIGGS, ROSEMARY (and R. G. MACFARLANE): Estimation of prothrombin in dicoumarin therapy, 33
BISHOP, L. W. J. (and S. P. BEDSON, C. F. BARWELL, E. J. KING): Laboratory diagnosis of lymphogranuloma venereum, 241
Blocking antibody: see antibody, 107
Blood cell counts and haemoglobin determination, simplified procedure (FELIX WROBLEWSKI, MURRAY WEINER, and SHEPARD SHAPIRO), 138
—— copper serum levels in pregnancy and pre-eclampsia, 193
—— determination of serum iron with ferricyanide in, 290
—— estimation of *p*-aminosalicylic acid in, 230
—— experiments on erythroblast maturation in, 217
—— rare Rh antigens in, 284
—— donation, replacement of iron reserve in, 102
—— relation between blood urea concentration and urea excretion on low protein diet in, 267
—— serum copper levels in, 193
—— serum proteins in, 161
—— sickle cell trait, rapid determination by reducing agent (A. W. WILLIAMS and J. P. MACKEY), 141
—— serum proteins in liver damage, with reference to thymol test, 275
Bone marrow biopsy, staining and preparation of material, 3
—— —— —— study of erythropoiesis by, 1
—— —— —— techniques, 2
—— —— differential cell counts in, 8
—— —— normal extent at different ages, 4
BOYCOTT, J. A.: Improved swab for detection of threadworm ova, 149
BROMFIELD, R. J.: Faecal fat values on present British diets, 280
"Brownian" movement, 281

C

Carbohydrate, in serum protein, 169
Carcinomatosis, erythropoiesis in, 29
CATHIE, I. A. B.: Bacterial fibrinolysin in tuberculous meningitis, 73
—— —— (and I. A. DUDGEON): Laboratory diagnosis of toxoplasmosis, 259
Coenurosis in man, 62
COLEMAN, P. N. (and S. TAYLOR): Coliform infection of the urinary tract, 134
Coliform bacilli, sensitivity to streptomycin, 136
—— —— sensitivity to sulphanilamide and penicillin, 136
—— —— types isolated from primary urinary infection and obstruction, 134
Colon, cystic pneumatosis of, 91
Complement, components of, in serum protein, 172
—— fixation test for diagnosis of lymphogranuloma venereum, 241
Copper serum levels in pregnancy and pre-eclampsia (R. H. S. THOMPSON and D. WATSON), 193
Cryoglobulin, 184
CULLING, C. F. A.: Mass staining of paraffin sections before removal of wax, 147

D

DACIE, J. V. (and J. C. WHITE): Erythropoiesis with particular reference to its study by biopsy of human bone marrow, 1
DAVIES, C. E. (and A. DICK): Measurement of glomerular filtration rate and effective renal plasma flow using sodium thiosulphate and *p*-amino-hippuric acid, 67
Dextran as medium for demonstration of incomplete anti-Rh-agglutinins (RUNE GRUBB), 223
DICK, A. (and C. E. DAVIES): Measurement of glomerular filtration rate and effective renal plasma flow using sodium thiosulphate and *p*-amino-hippuric acid, 67
Dicoumarin therapy case reports, 38
—— —— Quick's technique using brain thromboplastin, 33, 35
—— —— prothrombin estimation in, 33; 45
—— —— one-stage technique using Russell's viper venom, 34
Dicoumarol: see Dicoumarin
Diphtheria, pancreatic extract in tellurite media for isolation and typing *C. diphtheriae*, 209
—— plate virulence test for (S. ELEK), 250
DOLE, VINCENT P. (and DONALD D. VAN SLYKE): Significance of urea clearance, 273
DUDGEON, I. A. (and I. A. B. CATHIE): Laboratory diagnosis of toxoplasmosis, 259
DUKES, CUTHBERT E.: Surgical pathology of rectal cancer. 95

E

Eclampsia, copper, serum levels in, 193
Electrophoresis in determination of albumin globulin ratio, 65
—— analytical method of separating serum proteins by, 162
ELEK, STEPHEN D.: Plate virulence test for diphtheria, 250
Erythroblast, growth and differentiation, 10
—— maturation studies *in vitro* on (GIOVANNI ASTALDI and PAULO TOLENTINO), 217
Erythrocyte, abnormalities of, 30
—— developing, cytochemistry of, 15
—— in haemolytic anaemia, elution of incomplete type of antibody from (P. KIDD), 103
—— formation of haemoglobin in, 21
—— Rh-positive, previously incubated with Rh-antibody, survival of after transfusion (P. L. MOLLISON and C. S. PATERSON), 109
—— in acquired haemolytic anaemia, sensitization and elimination rates of (J. G. SELWYN and W. E. R. HACKETT), 118
—— in acquired haemolytic anaemia, survival of transfused, 114
—— vibratory movement in the cytoplasm of (R. J. V. PULVERTAFT), 281

Erythropoiesis, cellular gigantism in, 29
—— in bone marrow carcinomatosis, 29
—— in haemolytic anaemia, 28
—— in leukaemia, 28
—— macronormoblastic, 25
—— megaloblastic, 22
—— micronormoblastic, 26
—— nomenclature, 5
—— normoblastic in adults, 6
—— in refractory anaemia, 27
—— regulation of, 14
—— site of development, 5
—— study by biopsy of human bone marrow (J. V. Dacie and J. C. White), 1

F

Fairfield Smith, F.: Urea clearance tests, 266
Fat values, faecal, on present British diets (R. J. Bromfield), 280
Fibrin network formation, influence of anticoagulants on (K. Rejsek and Mirko Kubík), 55
Fibrinolysin, bacterial, application in tuberculous meningitis (I. A. B. Cathie), 73
—— —— assay method, 74
Fitzpatrick, Joseph, and Kenneth W. Howells: Determination of serum iron with ferricyanide, 290
—— —— and Sidney Lionel Tompsett: Microbiological assay of riboflavin and nicotinic acid in urine, 121
Fowweather, F. S.: Photochemical production of gold sols using artificial light, 143
Fracture of leg bones, electrophoretic changes after, 177
Fraser Roberts, J. A., with R. F. Jennison, and J. B. Penfold: Value of diluted antigen in the Wassermann reaction, 129
Frei test in diagnosis of lymphogranuloma venereum, 246
Friedmann, I.: Cystic pneumatosis of the large intestine, 91

G

Gatman, Mervyn, and Leonard Hamilton: Haemolytic anaemia, 225
Gid-worm infestation. See Coeneurosis
Glandular fever, electrophoretic changes in, 176
Glomerular filtration rate, measurement, using sodium thiosulphate and *p*-amino-hippuric acid (A. Dick and C. E. Davies), 67
Godlowski, Z. Z.: Cellular analysis of aspiration lung biopsy from normal and pathological conditions, 49
Gold sols, photochemical production, using artificial light (F. S. Fowweather), 143
Gordon, M., and K. Zinneman: Use of pancreatic extract as growth stimulant for *C. diphtheriae*, 209
Grubb, Rune: Dextran as a medium for the demonstration of incomplete anti-Rh-agglutinins, 223

H

Hackett, W. E. R., and J. G. Selwyn: Acquired haemolytic anaemia: Survival of transfused erythrocytes in patients and normal recipients, 114
Haemoglobin, formation of in erythrocyte, 21
—— regeneration rate in iron reserve estimation, 99
—— synthesis, relation of to iron reserve in, 102
Haemolysin, slide method for demonstrating soluble (F. C. Monckton), 289
Haemolytic disease of newborn, iso-immunization by rare Rh-antigens in, 284
Hart, M. v. d., and J. J. van Loghem: Iso-Immunization by rare Rh-antigens as a cause of haemolytic disease in the newborn and transfusion reactions, 284
Heparin, effect on fibrin formation, 59
Hepatitis, acute, qualitative defects in albumin in, 276
Hoch, H., and J. R. Marrack: Serum proteins: A review, 161
Holt, H. D. (with D. A. Mitchison and S. H. Moore): Errors in the estimation of streptomycin in serum, 213
Howells, Kenneth W., and Joseph Fitzpatrick: Determination of serum iron with ferricyanide, 290
Hynes, Martin: Iron reserve of a normal man, 99
Hyperplasia in prostate, association with carcinoma, 205
—— —— —— occurrence in normal glands, 205

I

Infancy, serum protein concentrations in, 167
Infection, acute, changes in electrophoretic patterns in, 174
—— —— changes in electrophoretic patterns in, 176
Injury and infection, response of serum protein to, 174
Inulin, measurement of clearance in man, 67
Iron reserve of a normal man (Martin Hynes), 99
Iron, serum in, method for determination, with ferricyanide (Joseph Fitzpatrick and Kenneth W. Howells), 290
Iso-immunization by rare Rh-antigens as a cause of haemolytic disease of the newborn and transfusion reactions (J. J. van Loghem and M. v. d. Hart), 284

J

James, G. A.: Prothrombin time in dicoumarol therapy, 45
Jennison, R. F. (with J. B. Penfold and J. A. Fraser Roberts): Value of diluted antigen in the Wassermann reaction, 129

K

17-Ketosteroids in urine, determination of total neutral (Sidney Lionel Tompsett), 126
Kidd, P.: Elution of an incomplete type of antibody from the erythrocytes in acquired haemolytic anaemia, 103
King, E. J. (with S. P. Bedson, C. F. Barwell, L. W. J. Bishop): Laboratory diagnosis of lymphogranuloma venereum, 241
Kubík, M. (and Karel Rejsek): Influence of anticoagulants on fibrin network formation, 55
Kurloff bodies, theories of nature of, 82, 86

L

Landells, J. W.: Intramedullary cyst of spinal cord due to the cestode *Multiceps multiceps* in the coenurus stage, 61
Leishmaniasis, hypothetical explanation of blood changes in, 217
Leukaemia, erythropoiesis in, 28
Lipaemia, protein deficiency and balance of serum proteins in, 181
Lipid in serum protein, 168
Liver disease, balance of serum proteins in, 182
—— interrelations of serum proteins in liver damage, 275
Loghem, J. J. van (and M. v. d. Hart): Iso-immunization by rare Rh-antigens as a cause of haemolytic disease of the newborn and transfusion reactions, 284
Lung biopsy, diagnostic use of, 54
—— —— method of obtaining material in, 49
—— —— cytological analysis of material from, 51
Lymphogranuloma venereum, electrophoretic changes in, 177
—— —— laboratory diagnosis (S. P. Bedson and others), 241

M

Macfarlane, R. G. (and Rosemary Biggs): Estimation of prothrombin in dicoumarol therapy, 33
Mackey, J. P. (and A. W. Williams): Rapid determination of sickle cell trait by use of a reducing agent, 141
McManus and Hotchkiss modification of periodic acid Schiff method, 82, 87
Malaria, electrophoretic changes in, 175
Marrack, J. R. (and H. Hoch): Serum proteins: a review, 161
Martin, N. H.: Interrelations of the serum proteins in liver damage, with special reference to the thymol test, 275
—— (and R. Morris): Albumin/globulin ratio: a technical study, 64
Megaloblast, conditions for reproduction and ratio to normal cells in anaemia, 23
—— definition and morphology of, 22
—— "intermediate forms," 24
—— method for concentration of (K. S. Rodan), 232
Mitchison, D. A. (with H. D. Holt and S. H. Moore): Errors in the estimation of streptomycin in serum, 213
Mollison, P. L. (and C. S. Paterson): Survival after transfusion of Rh-positive erythrocytes previously incubated with Rh-antibody, 109
Monckton, J. C.: Slide method for demonstrating soluble haemolysin, 289
Moore, S. H. (with D. A. Mitchison and H. D. Holt): Errors in the estimation of streptomycin in serum, 213
Morris, R. (and Martin, N. H.): Albumin/globulin ratio: a technical study, 64
Mucoprotein, demonstration of, in cytoplasm in man, 86
Multiceps multiceps, intramedullary cyst of spinal cord due to, 61
Myelogram, definition and use, 9
Myelomatosis, balance of serum proteins in, 182

N

Normoblast. See PRONORMOBLAST

O

Orthotolidine hydrochloride test for blood in urine, 145

P

Pancreatic extract, use of as a growth stimulant for *C. diphtheriae* (M. GORDON and K. ZINNEMANN), 209
Paraffin sections, method for mass staining before removal of wax (C. F. A. CULLING), 147
PATERSON, C. S. (and P. L. MOLLISON): Survival after transfusion of Rh-positive erythrocytes previously incubated with Rh-antibody, 109
PEARSE, A. G. Everson: Nature of Russell bodies and Kurloff bodies: observations on the cytochemistry of plasma cells and reticulum cells, 81
"Pelentan," effect on fibrin formation of, 58
PENFOLD, J. B. (with R. F. JENNISON and J. A. FRASER ROBERTS): Value of diluted antigen in the Wassermann reaction, 129
Periodic acid Schiff reagent, 82
Phase contrast microscopy, vibratory movement in cytoplasm of erythrocytes in, 282
Plate virulence test for diphtheria, 250
Pneumatosis, cystic, of large intestine (I. FRIEDMANN), 91
Pregnancy, copper serum levels in, 193
—— iso-immunization by rare Rh-antigens in, 284
—— serum protein concentrations in, 167
Pronormoblast and normoblast, character of, 7
—— —— —— intra-uterine formation of, 6
Prostate, latent carcinoma of (G. S. ANDREWS), 197
—— cancer of, criteria of malignancy, 197
—— —— histology, 199
—— —— pathological conditions associated with, 204
—— precancerous conditions in, 205
—— —— sites in, 199
Prothrombin estimation in dicoumarin therapy (ROSEMARY BIGGS and R. G. MACFARLANE), 33
—— —— discrepancy between percentages with Russell's viper venom and lecithin and brain thromboplastin, 40
—— —— one-stage technique using Russell's viper venom as thromboplastin, 34
—— —— Quick's technique, 33, 35
—— —— Witts' and Hobson's technique, 38
Prothrombin time in dicoumarol therapy (G. A. JAMES), 45
—— —— methods of estimating, 45
—— —— Quick's method, superiority of in dicoumarol therapy, 47
Psittacosis, acid extracts of virus of, as diagnostic aid in lymphogranuloma venereum, 247
Pulmogram, 51
PULVERTAFT, R. J. V.: Vibratory movement in cytoplasm of erythrocytes, 281

R

Rectum, cancer of, comparative statistics of five-year survival rates after perineal and combined excision, 98
—— —— —— histological classification, 95
—— —— —— influence of lymphatic spread on five-year survival rate after excision, 98
—— —— —— operation statistics, 95
—— —— —— prognosis related to local, venous, and lymphatic spread, 96
—— —— —— relationships of histological grades to incidence of lymphatic metastases, 96
—— —— —— surgical pathology (CUTHBERT E. DUKES), 95
REJSEK, K. (and MIRKO KUBÍK): Influence of anticoagulants on fibrin network formation, 55
Renal plasma flow measurement, using sodium thiosulphate and *p*-amino-hippuric acid, 67
Rheumatic fever, electrophoretic changes in, 175
Rheumatoid arthritis, electrophoretic changes in, 177
Riboflavin and nicotinic acid in urine, microbiological assay of (JOSEPH FITZPATRICK and SIDNEY LIONEL TOMPSETT): 121
RODAN, K. S.: Concentration of megaloblasts: an aid in diagnosis of pernicious anaemia, 232
Russell bodies and Kurloff bodies, the nature of (A. C. EVERSON PEARSE): 81, 86
—— —— sources, 81

S

Sarcoidosis, electrophoretic changes in, 177
Scarlet fever, electrophoretic changes in, 174
SELWYN, J. G. (and W. E. R. HACKETT): Acquired haemolytic anaemia, survival of transfused erythrocytes in patients and normal recipients in, 114
Serum proteins (J. R. MARRACK and H. HOCH), 161
—— —— antigenic properties, 171
—— —— antibodies in, 170
—— —— changes in disease, 174
—— —— composition, amino-acid, 168
—— —— —— carbohydrate, 169
—— —— —— lipid, 168
—— —— concentrations in normals, 167, 168
—— —— —— in pregnancy and infancy, 167
—— —— effect of deficiency of protein on, 179
—— —— effect on erythrocyte sedimentation rate of, 186
—— —— flocculation reactions to, 185
—— —— fractionation by salting out, 164
—— —— in liver damage, with reference to thymol test (N. H. MARTIN), 275
—— —— molecular weight of, 169
—— —— physiological properties of fractions tabulated, 173
—— —— response to injury and infection, 174
—— —— levels, methods of determining albumin/globulin ratio, 64
Sodium thiosulphate, measurement of clearance in man of, 67
Spinal cord, intramedullary cyst of, due to *Multiceps multiceps* in coenurus stage (J. W. LANDELLS), 61
STREET, H. V.: Estimation of *p*-aminosalicylic acid in blood, 230
Streptococcus, haemolytic, preparation of fibrinolysin from, 73
Streptomycin, errors in estimation in serum (D. A. MITCHISON, H. D. HOLT, and S. H. MOORE), 213
—— serum level estimation by agar diffusion method, 213
—— serum level estimation by capillary tube technique, 213

T

TAYLOR, S. (and P. N. COLEMAN): Coliform infection of the urinary tract, 134
THOMPSON, R. H. S. (and D. WATSON): Serum copper levels in pregnancy and pre-eclampsia, 193
Threadworm ova, improved swab for detection of (J. A. BOYCOTT): 149
Thromboplastin, Russell's viper venom as substitute for, 34
Thrombus, production of fibrin network by certain anticoagulants in, 55
Thymol test to determine interrelations of serum proteins in liver damage, 276
TOLENTINO, PAULO (and GIOVANNI ASTALDI): Studies *in vitro* on the maturation of erythroblasts in normal and pathological conditions, 217
TOMPSETT, SIDNEY LIONEL: Determination of total neutral 17-ketosteroids in urine, 126
—— (and JOSEPH FITZPATRICK): Microbiological assay of riboflavin and nicotinic acid in urine, 121
Toxoplasmin, diagnostic use of, 265
Toxoplasmosis, laboratory diagnosis of (I. A. B. CATHIE and J. A. DUDGEON), 259
Transfusion reactions, iso-immunization by rare Rh-antigens in, 284
Tuberculous meningitis, application of bacterial fibrinolysin in, 73
Typhus fever, electrophoretic changes in, 175

U

Urea clearance, significance of (DONALD D. VAN SLYKE and VINCENT P. DOLE), 273
—— —— validity of Van Slyke test in renal disease, 268
—— —— tests (F. FAIRFIELD SMITH), 266
Urinary tract, coliform infection of (P. N. COLEMAN and S. TAYLOR), 134
Urine, blood in, orthotolidine hydrochloride test for (H. ZWARENSTEIN), 145

V

VAN SLYKE, DONALD D. (and VINCENT P. DOLE): Significance of urea clearance, 273

W

Wassermann test modified by addition of extra tube of increased serum and diluted antigen, 130
—— —— using diluted antigen, discriminant function for interpretation of, 131

WATSON, D. (and R. H. S. THOMPSON): Serum copper levels in pregnancy and pre-eclampsia, 193
WEINER, MURRAY (with FELIX WROBLEWSKI and SHEPARD SHAPIRO): Simplified procedure for blood cell counts and haemoglobin determination, 138
WHITE, J. C. (and J. V. DACIE): Erythropoiesis with particular reference to its study by biopsy of human bone marrow, 1
WILLIAMS, A. W. (and J. P. MACKEY): Rapid determination of sickle cell trait by use of a reducing agent, 141
WROBLEWSKI, FELIX (with MURRAY WEINER and SHEPARD SHAPIRO): Simplified procedure for blood cell counts and haemoglobin determination, 138

Z

ZINNEMAN, K. (and M. GORDON): Use of pancreatic extract as growth stimulant for *C. diphtheriae*, 209
ZWARENSTEIN, H.: Orthotolidine hydrochloride test for blood in urine, 145

INDEX TO ABSTRACTS

A

Abortion, threatened, Guterman test for, 79
Adrenal cortex, histologic studies on a virilizing tumour, 159
Agranulocytosis, massive colony formation of *bacterium friedländeri*, 153
Aminopterin in acute leukaemia, 79
—— treatment of leukaemia, 295
p-Aminosalicylic acid treatment of primary tuberculosis, 151
Anaemia, aetiology of infection, 296
—— associated with trauma and sepsis, 156
—— in patients with burns, 156
—— haemolytic, with haemoglobinuria, 236
—— haemolytic, severe, with formation of Heinz inclusion bodies in a premature infant, 236
—— megaloblastic, in pregnancy, report of unusual case, 155
—— pernicious, aetiologic relationship of achylia gastrica and activity of vitamin B_{12} as food (extrinsic) factor, 236
—— —— caused by *Diphyllobothrium latum*, 156
—— —— clinical observations on heat-stabilized sedimentation rate, 157
—— —— of pregnancy and puerperium, 156
—— —— relapse during maintenance therapy with folic acid, 236
—— —— vitamin B_{12} treatment of, 236
—— sickle cell, pathogenesis, 156
—— studies on free erythrocyte protoporphyrin, plasma iron, and plasma copper in normal and anaemic subjects, 156
Antibody formation in early infancy against diphtheria and tetanus toxoids, 292
—— titre, heterophile in diseases excluding infectious mononucleosis, 235
Antigens, use of combined, in immunization of infants, 292
Aorta, miliary tuberculosis of, 159
Aureomycin: Preliminary report on successful treatment in 25 cases of lymphogranuloma venereum, 233
—— results of laboratory studies and clinical use in 100 cases of bacterial infections, 233

B

Bact. coli infection of urinary tract: Treatment with sulphasuxidine and streptomycin, 78
"Basaliomata" of Spiegler, 80
Blood, cord, iso-agglutinins in, 156
—— Rh antigen D^u, 238
—— serum demonstrating co-dominance of blood-group gene O with A and B, 238
—— —— iron-binding capacity of, 296
—— serums: Relationship between antipoliomyelitic properties of human nasopharyngeal secretions, 153
—— sickle cells, paucity of in negro newborn, 156
—— simple and rapid method for demonstrating sickling of red blood cells by reducing agents, 238
—— transfusion, resulting exogenous haemochromatosis, 156
Bousfield's method, 153
Brain necroses, irradiation, clinical and pathological features of, 159
—— necrosis due to radiation therapy, 80
Bronchiectasis, pulmonary alveolar lining in, 297
Bronchus, cancer of: Diagnostic smears of bronchoscopic aspirations, 239

C

Cancer. See under specific sites
Cardio-oesophageal junction and cardia, cancer of: Histologic features, 239
Caronamide and penicillin, serum levels of following multiple doses, 234
—— penetration of blood-brain barrier, role of high blood penicillin levels in, 235
Cell, dendritic, 158
—— proliferation, benign trophoblastic, 158
Chloromycetin, administration to normals, 78
—— treatment of typhus, 78
Chorioangiofibroma, 240
Complement fixation test: haemolysis with human complement, human cells, and tannic acid, 157
Coombs' serum, 236
Copper and iron content of blood serum in normals, 235
Cytodiagnosis, use in dermatology of, 160

D

Dermatology, rapid cytodiagnosis in, 160
Diarrhoea, an outbreak of infantile in Aberdeen associated with special type of *Bact. coli*, 153
Dicoumarol: Efficacy in prevention of arterial and venous thrombosis, 157
Diphtheria: antibody formation in early infancy, 292
—— combined active and passive immunization, 153
—— penicillin in, 292
—— restoration of immunity without injections (Bousfield's method), 153

E

Embolism, arterial air, early changes in human brain after, 296
Encephalitis, comparison of histological characters of autumnal maritime and Japanese B, 160
Encephalomyelitis, histopathology of virus of, 240
Endometrium, transitional, 238
Enteritis, cicatrizing (regional ileitis), as pathological entity, 239
Erythrocyte: Hypothesis of formation by budding-off of cytoplasm from normoblasts, 237
—— osmometric behaviour of normal and abnormal, 156
Erythropoiesis in pernicious anaemia and lymphatic leukosis under therapy, 79

F

Fallopian tube, hydatidiform mole in, 160
Folic acid in pernicious anaemia: Relapse during maintenance therapy, 236

G

Gamma globulin, hyperimmune, combined with sulphadiazine in treatment of pertussis, 153
Gastro-enteritis, infantile. See DIARRHOEA
Gaucher's disease: Variations in clinical course in adults and value of sternal puncture as diagnostic aid, 237
Granuloma, eosinophilic, some lesions in, 239
Guterman test for pregnancy diagnosis, 79
—— —— for threatened abortion, 79

H

Haematology, histochemical methods in, 79
Haemochromatosis: Sequel to blood transfusion, 156
Haemoglobinuria, haemolytic anaemia with, 236
—— paroxysmal cold, 237
Haemolytic disease of newborn: Criteria of severity, 296
—— —— —— —— exchange transfusion in, 236
Haemophilia: Control by repeated infusions of normal human plasma, 237
—— current theories and successful medical management in traumatic and surgical crises, 157
Haemorrhagic diathesis associated with presence of anticoagulant in circulating blood, 237
—— —— circulating anticoagulant as a cause of, 237
—— diseases, value and limitations of coagulation time in study of, 237
—— syndrome: Use of prothrombin in investigation, 236
Hand-Schüller-Christian disease, bone lesions in, 239
Heinz inclusion bodies in severe haemolytic anaemia in a premature infant, 236
Heparin: Efficacy in prevention of arterial and venous thrombosis, 157
Histological sections: Adaptation of Leishman's stain, 160
Hodgkin's disease, lymphosarcoma, the leukaemias, and other disorders: Nitrogen-mustard therapy, 297
—— syndrome: Nitrogen-mustard therapy, 156
Hyalinosis (paramyloidosis) in reticulo-endothelial system, 80
Hyperglobulinosis, allergic, in reticulo-endothelial system, 80
Hyperostoses, infantile cortical, 159
Hyperpotassaemia in severe renal insufficiency, occurrence of, 295

I

Immunization: Use of combined antigens in infants, 292
Influenza vaccination, 153
Iron and copper content of blood serum in normals, 235
—— radioactive, absorption in fever and anaemias of varied aetiology, 80

J

Jaundice, haemolytic, acquired, agglutination of red cells in spleen substance causing, 236

K

Kidney: Effect of sodium bicarbonate on excretion of salicylate, 235
—— insufficiency of, hyperpotassaemia in, 295
—— structure of glomerulus of human, 296

L

Leishman's stain adapted for histological sections, 160
Leptospira canicola infection: Four cases in England, 234
Letterer-Siwe disease, bone lesions in, 239
Leucoses, acute, preliminary results of treatment by exsanguination-transfusions, 80
Leukaemia: Aminopterin treatment, 295
—— acute and subacute, folic acid antagonist (aminopterin) treatment of, 295
—— —— —— and other forms of incurable cancer: Effect of folic acid antagonists, 296
—— —— temporary remissions in children produced by folic acid antagonist, 79
—— chronic, Aminopterin (a folic acid antagonist) treatment, 295
—— clinical and radiographic observations of skeletal lesions in 103 infants and children, with a review of literature, 155
—— nature of anaemia in, 155
—— nitrogen mustard therapy, 297
—— treatment with folic acid derivatives, 155
—— urethane treatment, 155
Leukaemic blood cells: Culture technique and growth curve, 155
—— —— —— normal and abnormal cell division and maturation in culture, 155
Liver: Biopsy for sarcoidosis diagnosis, 158
—— fatty, disease in infants in British West Indies, 159
—— massive colony formation of *Bacterium friedländeri* in agranulocytosis, 153
—— relation between structural and functional alterations in disease, 239
—— significance of agonal changes in, 296
Lung, cancer of: Cytological studies of sputum and bronchial secretions in diagnosis, 239
—— congenital cystic disease of, 240
Lupus erythematosus: Hargraves' "L. E." cell as diagnostic aid in acute disseminated, 237
—— —— disseminated: Hyperglobulinemia, periarterial fibrosis of spleen, and wire loop lesion in, 80
Lymphogranuloma venereum: Successful aureomycin treatment in 25 cases, 233
Lymphosarcoma: Nitrogen-mustard therapy, 297

M

Malignant cell, protoplasmic disorganization in, 297
Mast cells: Cytochemical studies of normal and tumour in tissues and *in vitro*, 158
Megakaryocyte, normal granulopoiesis of, 79
Melanoma, juvenile, 238
Methaemoglobinaemic cyanosis, hereditary, a new blood disorder, 156
Mononucleosis, infectious, pathology of, 240
Muscle, rheumatic, histology of, 240
Mycobacterium tuberculosis, determination of streptomycin sensitivity by egg-yolk agar medium, 293
—— —— effect of wetting agents in growth of, 293
—— —— in idiopathic pleurisy, fibrin web culture of, 78
—— —— in sputum, scarcity of, clinical and epidemiological significance, 293
Myeloma, multiple, bone marrow on sternal aspiration in, 237
Myelosis, aleukaemic: Study of three cases and review of literature of chronic nonleukemic myelosis, agnogenic myeloid metaplasia, osteosclerosis, leukoerythroblastic anaemia, 155
Myohaemoglobinuria, spontaneous. Description of case with recurrent attacks, 157
Myxoma, 80

N

Nitrogen mustard, a coagulation defect produced by, 157
—— —— therapy in Hodgkin's disease, lymphosarcoma, the leukaemias, and other disorders, 297
—— —— therapy in Hodgkin's syndrome, 156
Nu-445, clinical evaluation of, 78
—— studies in man, 152

O

O gene, blood group: Detection of a product of, and relationship of so-called O-substance to agglutinogens A and B, 155
Ovary, solid teratoma of, 297

P

Pancreas, aseptic necrosis due to arterial thrombosis in malignant hypertension, 157
—— investigations on pathology of in first year of life, 159
Paresis, general: Histopathological findings after penicillin treatment, 152
Penicillin high blood levels, role of, in caronamide penetration of blood brain barrier, 235
—— histopathological findings in general paresis after treatment with, 152
—— in cerebrospinal fluid following parenteral administration, 151
—— in diphtheria, 292
—— infection by penicillin-resistant staphylococci, 234
—— oral, in treatment of various bacterial infections, 152
—— serological types of *Staph. pyogenes* in nose and skin and results of treatment, 152
—— serum levels following multiple doses of caronamide, 234
Pertussis, and pneumonia complicating pertussis: Role of hyperimmune gamma globulin and sulphadiazine in treatment, 153
Phase-contrast microscopy, attempts at cytological differentiation of atypical epithelium of vaginal portion of cervix by tissue culture and, 297
—— practical application of to biologist's microscope, 297
Plasma proteins in the newborn, 79
—— —— studies on newborn and premature infants, 235
Pleurisy, idiopathic: Fibrin web culture of tubercle bacilli from exudates, 78
Pneumonia, primary atypical: Report of 112 cases with positive cold agglutination reaction, 78
—— —— —— serologic findings, 294
Potassium, clinical intoxication with: Occurrence in severe renal insufficiency, 295
—— excretion in immediate post-operative period, 154
—— intoxication, electrocardiographic manifestations of, 295
—— renal excretion of, 79
—— serum: Relation of abnormalities in concentration of to electrocardiographic disturbances, 295
Pregnancy and early puerperium. Reducing substances in urine, 154
—— —— puerperium, pernicious anaemia of, 156
—— diagnosis. Guterman test for, 79
—— megaloblastic anaemia of: Report of unusual case, 155
—— plasma proteins in, 154
—— virus diseases of, and effect on foetus, 78

Prostate, cancer of: Value of combined blood phosphatase and sedimentation rate determination in diagnosis of metastasis, 155
Prothrombin: Method of investigating haemorrhagic syndromes by estimating amount used during coagulation of venous and capillary blood, 236
Purpura thrombopenic, failure of direct blood transfusion to raise platelet level, 237
—— —— idiopathic. Study of bone marrow from 36 cases, 237

R

Rectum, basalioma of the, 297
Red blood cells, agglutination of, spleen substance causing in patients with acquired haemolytic jaundice, 236
Red cells; Enzymic action of viruses and bacterial products, 155
Reticulosis, histiocytic, in infants, 238
Rh antagonism: Influence of ABO incompatibility, 238
Rh antigen Dw, 238
Rheumatism, muscle histology in, 240
Rheumatoid arthritis: Differential agglutination of normal and sensitized sheep erythrocytes by sera of patients with, 78

S

Salicylate, effect of sodium bicarbonate on renal excretion of, 235
Salmonella infections: Comparative efficiency of rectal swabs and faecal specimens, 153
Sarcoidosis: Allergic hyperglobulinosis and hyalinosis (paramyloidosis) in reticulo-endothelial system, 80
—— Boeck's transition to miliary tuberculosis, 239
—— liver biopsy in, 158
Sarcoma in irradiated bone: Report of 11 cases, 238
Sickle cell rapid demonstration and clinical significance of, 80
—— —— anaemia, rapid diagnostic test for, 296
—— —— disease studied by measuring survival of transfused red blood cells, 296
—— —— life span and pathogenesis of, 156
Skin: Melanin-forming epidermal tumours, 158
—— pigmented precancerous and cancerous changes in, 158
Spleen, cancer spread to, and relation to generalized spread, 157
Splenomegaly, pathogenesis of in hypertension of portal circulation, 239
Staphylococci, penicillin resistant, infection by, 234
Staph. pyogenes, serological types in nose and skin: Results of penicillin treatment, 152
"Stilbamidine" treatment of multiple myeloma: Clinical results and morphologic changes, 157
Stomach: Results of pathological examination of 1,720 resections for chronic gastric ulcer, 157
Streptomycin: Enhancement of growth of strain of *M. tuberculosis*, 294
—— fatal toxic encephalopathy apparently caused by, 152
—— importance of cerebrospinal fluid picture in treatment of tuberculous meningitis by, 151
—— in treatment of tuberculosis and mixed infections of genito-urinary organs, 151
—— pathological findings in six fatal cases of tuberculous meningitis in childhood, 240
—— results of treatment of 19 patients with *H. influenzae* meningitis, 294
—— stomatitis due to, 294
—— sugar content of C.S.F. in tuberculous meningitis and relation to reducing properties of, 235
—— treatment of persistent bacillary infections of urinary tract, 78
Sulphadiazine treatment of pertussis and pneumonia complicating pertussis, 153
Sulphasuxidine treatment of persistent bacillary infections of urinary tract, 78
Sulphetrone: Chemotherapy of tuberculosis, 233
Sulphonamide, clinical evaluation of Nu-445, 78
Sweat gland tumour (myoepithelioma): Report of three cases with review of literature, 80
Syphilis, tertiary, of uterine body and adnexa, 240

T

Tb 698 treatment of tuberculosis, 293
Tetanus: Antibody formation in early infancy, 292
Thrombosis, arterial, causing aseptic necrosis of pancreas in malignant hypertension, 157
—— experimental study of comparative efficacy of heparin and dicoumarol in prevention of arterial and venous, 157
Thyroid: Chronic thyroiditis, 158
—— collection of radioactive iodine by human foetal, 240
—— subacute thyroiditis, 158
Transfusion, exchange, in haemolytic disease of newborn, 236
Tubercle bacilli, comparative examination for by gastric lavage and laryngeal swab, 151
—— —— effect of wetting agents on growth of, 292
Tuberculosis and mixed infections of genito-urinary organs, streptomycin treatment of, 151
—— miliary, of the aorta, 159
—— primary, treated with *p*-aminosalicylic acid, 151
—— pulmonary, Tb 698 treatment of, 293
—— sulphetrone therapy, 233
Tuberculous meningitis: Importance of cerebrospinal fluid picture in streptomycin treatment, 151
—— —— in childhood: Pathological findings in six fatal cases treated with streptomycin, 240
—— —— sugar content of C.S.F. and relation to reducing properties of streptomycin, 235
—— sputum and linen, disinfection with activated chloramine solutions, 294
Typhoid and salmonella: Comparative efficiency of rectal swabs and faecal specimens, 153
—— fever: Treatment with Vi anti-typhoid bacteriophages, 234
Typhus: Chloromycetin treatment, 78

U

Urinary-tract infections: Treatment by sulphasuxidine and streptomycin, 78
Urine: Reducing substances in pregnancy and early puerperium, 154
—— significance of various steroid fractions in, 154

V

Vi anti-typhoid bacteriophage, treatment of typhoid with, 234
Vitamin B_{12} therapy in pernicious anaemia, 236
—— —— —— —— —— —— Activity as food (extrinsic) factor, 236

W

Weil's disease: Analysis of 195 cases in England, 234

ting
ary
with
in
and
and
epto-
cture
cases
pro-
amine
swabs
234
repto-
n, 154
34
or, 236